

# swiper.js

## swiper.js

cdn

### cdn

<https://cdnjs.com/libraries/Swiper>

- <https://cdnjs.cloudflare.com/ajax/libs/Swiper/5.4.5/js/swiper.min.js>
- <https://cdnjs.cloudflare.com/ajax/libs/Swiper/5.4.5/css/swiper.min.css>

## html

### html

```
<div class="swiper-container">
  <div class="swiper-wrapper">
    <div class="swiper-slide no1">
      <div class="in move">
        <div class="in size">
          <p>Slide <strong>1</strong></p>
        </div>
      </div>
    </div>
    <div class="swiper-slide no2">
      <div class="in move">
        <div class="in size">
          <p>Slide <strong>2</strong></p>
        </div>
      </div>
    </div>
  </div>
</div>
```

```

<div class="swiper-slide no3">
  <div class="in move">
    <div class="in size">
      <p>Slide <strong>3</strong></p>
    </div>
  </div>
</div>
<!-- 3 -->
<div class="swiper-pagination"></div>
</div>

```

3

- .swiper-container
- .swiper-wrapper
- .swiper-slide

3

```

.swiper-slide
.swiper-slide

```

## CSS

```

.swiper-container {
  height: 100vh;
}
.swiper-container .swiper-wrapper {
  transition-timing-function: cubic-bezier(0.685, 0.09, 0.1,
0.94);
}
.swiper-container .swiper-slide .in {
  display: flex;
  justify-content: center;
  align-items: center;
  width: 100%;
  height: 100%;
}
.swiper-container .swiper-slide .in.move {
  transform: translate(30%, -100%);
  transition: 1.1s 0.1s;
}

```

```

    transition-timing-function: cubic-bezier(0.685, 0.09, 0.1,
0.94);
}
.swiper-container .swiper-slide .in.size {
    flex-direction: column;
    transform: scale(0.6);
    transition: 1.0s;
}
.swiper-container .swiper-slide .in p {
    font-size: 5.0rem;
    opacity: 0;
    transition: 0.8s 1.2s;
}
.swiper-container .swiper-slide .in strong {
    font-size: 3.0em;
}
.swiper-container .swiper-slide.swiper-slide-next .in.move {
    transform: translate(-30%, 100%);
}
.swiper-container .swiper-slide.swiper-slide-active .in.move
{
    transform: translate(0);
}
.swiper-container .swiper-slide.swiper-slide-active .in.size
{
    transform: scale(1);
}
.swiper-container .swiper-slide.swiper-slide-active .in p {
    opacity: 1;
    transform: translate(0) !important;
}
.swiper-container .swiper-slide.no1 .in.size {
    background-color: #f00;
}
.swiper-container .swiper-slide.no1 .in p {
    transform: translate(0, 30%);
}
.swiper-container .swiper-slide.no2 .in.size {
    background-color: #0f0;
}
.swiper-container .swiper-slide.no2 .in p {

```



followFinger

false

mousewheel

PC

swiper.js